



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

X WATER VALVE

POWER DOME MINI PILLAR

POWER DOME UNIVERSAL PILLAR

BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED
GARAGE LOCATION



OPTICOMM CONNECTION



SEWER/ MANHOLE



TRANSFORMER SITE



STREETLIGHT



BAL 12.5 BUSHFIRE ATTACK LEVEL

26.54

RETAINING WALL & HEIGHT

26.54

REVERSE WALL & HEIGHT

HOUSING AUTHORITY RETAINED

TOP OF KERB HEIGHT

SPOT LEVEL

PAD LEVEL

ROAD LEVEL

ACOUSTIC ATTENUATION
PACKAGE REQUIREMENT
(FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C


S SPECIALIST



SCALE 1:1250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

X WATER VALVE

PM POWER DOME MINI PILLAR

PU POWER DOME UNIVERSAL PILLAR

BGP BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED
GARAGE LOCATION



OPTICOMM CONNECTION



S SEWER/ MANHOLE



TRANSFORMER SITE



STREETLIGHT



BAL 12.5 BUSHFIRE ATTACK LEVEL



26.54 RETAINING WALL & HEIGHT



26.54 REVERSE WALL & HEIGHT



24.99 HOUSING AUTHORITY RETAINED



26.16 TOP OF KERB HEIGHT



26.32 SPOT LEVEL



25.40 PAD LEVEL



ROAD LEVEL

ACOUSTIC ATTENUATION
PACKAGE REQUIREMENT
(FOR SINGLE STOREY CONSTRUCTION)

- Ⓐ PACKAGE A
- Ⓑ PACKAGE B
- Ⓒ PACKAGE C
- Ⓓ SPECIALIST



SCALE 1:250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



- 
- BELOW GROUND SERVICE PIT

- BAL 12.5 ●

- BUSHFIRE ATTACK LEVEL

- 25.40

- ROAD LEVEL

- © 2004 Blackwell Publishing Ltd



parcel.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

FUTURE
RELEASE

34.58

467

34.21

90°

12.5

90°

469
375m²

33.47

470

33.47

468

33.84

30

30

90°

12.5

90°

33.12

33.04

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

33.12

ADVENTURE
ROAD

32.51


32.77

32.90

LEGEND


- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- STREETLIGHT
- POWER DOME MINI PILLAR
- POWER DOME UNIVERSAL PILLAR
- BELOW GROUND SERVICE PIT
- TRANSFORMER SITE
- RETAINING WALL & HEIGHT
- REVERSE WALL & HEIGHT
- DRAINAGE
- ACCESS RESTRICTION
- OPTICOMM CONNECTION
- SUGGESTED GARAGE LOCATION
- BAL 12.5
- BUSHFIRE ATTACK LEVEL
- TOP OF KERB HEIGHT
- SPOT LEVEL
- PAD LEVEL
- ROAD LEVEL
- ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
- PACKAGE A
- PACKAGE B
- PACKAGE C
- SPECIALIST

parcel.



SCALE 1:250

Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		SPECIALIST




Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND


- | | | | | | |
|--|-----------------------------|--|---------------------------|--|---|
| | WATER | | TRANSFORMER SITE | | TOP OF KERB HEIGHT |
| | WATER METER | | RETAINING WALL & HEIGHT | | SPOT LEVEL |
| | WATER HYDRANT | | REVERSE WALL & HEIGHT | | PAD LEVEL |
| | WATER VALVE | | DRAINAGE | | ROAD LEVEL |
| | SEWER/ MANHOLE | | ACCESS RESTRICTION | | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) |
| | STREETLIGHT | | OPTICOMM CONNECTION | | (A) PACKAGE A |
| | POWER DOME MINI PILLAR | | SUGGESTED GARAGE LOCATION | | (B) PACKAGE B |
| | POWER DOME UNIVERSAL PILLAR | | BAL 12.5 | | (C) PACKAGE C |
| | BELOW GROUND SERVICE PIT | | BUSHFIRE ATTACK LEVEL | | (S) SPECIALIST |

parcel.




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

- | | | |
|-----------------------------|---------------------------|---|
| WATER | TRANSFORMER SITE | TOP OF KERB HEIGHT |
| WATER METER | RETAINING WALL & HEIGHT | SPOT LEVEL |
| WATER HYDRANT | REVERSE WALL & HEIGHT | PAD LEVEL |
| WATER VALVE | DRAINAGE | ROAD LEVEL |
| SEWER/ MANHOLE | ACCESS RESTRICTION | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) |
| STREETLIGHT | OPTICOMM CONNECTION | (A) PACKAGE A |
| POWER DOME MINI PILLAR | SUGGESTED GARAGE LOCATION | (B) PACKAGE B |
| POWER DOME UNIVERSAL PILLAR | BAL 12.5 | (C) PACKAGE C |
| BELOW GROUND SERVICE PIT | BUSHFIRE ATTACK LEVEL | (S) SPECIALIST |



SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

FUTURE
RELEASE

(34.95)

34.95

34.95

34.95

34.95

90°

12.5

90°

472

(33.47)

473
375m²

(33.47)

474

(33.47)

30

30

90°

12.5

90°

33.20

33.25

33.29

33.37

33.44

33.12

33.17

33.21

33.26

33.36

32.90

33.01

33.10

ADVENTURE
ROAD

LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BUSHFIRE ATTACK LEVEL		PACKAGE C
	BELOW GROUND SERVICE PIT				SPECIALIST


parcel.



SCALE 1:250


Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		(A) PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		(B) PACKAGE B
	POWER DOME UNIVERSAL PILLAR				(C) PACKAGE C
	BELOW GROUND SERVICE PIT				(S) SPECIALIST
			BAL 12.5 BUSHFIRE ATTACK LEVEL		



SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

- | | | | | |
|------|-----------------------------|---------------------------|---|--------------------|
| —W— | WATER | TRANSFORMER SITE | 26.80 | TOP OF KERB HEIGHT |
| WM | WATER METER | 26.54 | 26.16 | SPOT LEVEL |
| H | WATER HYDRANT | 26.54 | (26.32) | PAD LEVEL |
| V | WATER VALVE | DRAINAGE | 25.40 | ROAD LEVEL |
| S | SEWER/ MANHOLE | ACCESS RESTRICTION | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) | |
| SL | STREETLIGHT | OPTICOMM CONNECTION | (A) PACKAGE A
(B) PACKAGE B
(C) PACKAGE C
(S) SPECIALIST | |
| PDMP | POWER DOME MINI PILLAR | SUGGESTED GARAGE LOCATION | | |
| PDUP | POWER DOME UNIVERSAL PILLAR | BAL 12.5 | | |
| BGSP | BELOW GROUND SERVICE PIT | BUSHFIRE ATTACK LEVEL | | |



Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

FUTURE
RELEASE

(34.95)

34.95

34.95

34.95

34.95

90° 7.5 90°

475

(33.84)

30

476
225m²

30

477

(33.84)

(33.84)

90° 7.5 90°

33.44

33.36

33.52

33.43

33.56

33.48

33.67

33.52

33.67

33.59

ADVENTURE
ROAD

33.19


33.28

33.37

LEGEND

- | | | | | | |
|---|-----------------------------|---|--------------------------------|---|---|
|  | WATER |  | TRANSFORMER SITE |  | TOP OF KERB HEIGHT |
|  | WATER METER |  | RETAINING WALL & HEIGHT |  | SPOT LEVEL |
|  | WATER HYDRANT |  | REVERSE WALL & HEIGHT |  | PAD LEVEL |
|  | WATER VALVE |  | DRAINAGE |  | ROAD LEVEL |
|  | SEWER/ MANHOLE |  | ACCESS RESTRICTION |  | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) |
|  | STREETLIGHT |  | OPTICOMM CONNECTION |  | PACKAGE A |
|  | POWER DOME MINI PILLAR |  | SUGGESTED GARAGE LOCATION |  | PACKAGE B |
|  | POWER DOME UNIVERSAL PILLAR |  | BAL 12.5 BUSHFIRE ATTACK LEVEL |  | PACKAGE C |
|  | BELOW GROUND SERVICE PIT | | |  | SPECIALIST |


parcel.



SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



FUTURE
RELEASE

(34.95)

34.95

34.95

34.95

34.95

90°

10.5

90°

477

(33.84)

478
315m²

(33.84)

479

(33.84)

30

30

90°

10.5

90°

30

**ADVENTURE
ROAD**

33.28

33.37


33.46

LEGEND

- | | | | |
|---|-----------------------------|---|---------------------------|
|  | WATER |  | TRANSFORMER SITE |
|  | WATER METER |  | RETAINING WALL & HEIGHT |
|  | WATER HYDRANT |  | REVERSE WALL & HEIGHT |
|  | WATER VALVE |  | DRAINAGE |
|  | SEWER/ MANHOLE |  | ACCESS RESTRICTION |
|  | STREETLIGHT |  | OPTICOMM CONNECTION |
|  | POWER DOME MINI PILLAR |  | SUGGESTED GARAGE LOCATION |
|  | POWER DOME UNIVERSAL PILLAR |  | BAL 12.5 |
|  | BELOW GROUND SERVICE PIT |  | BUSHFIRE ATTACK LEVEL |


- | | |
|---|--------------------|
| 26.80 | TOP OF KERB HEIGHT |
| 26.16 | SPOT LEVEL |
| 26.32 | PAD LEVEL |
| 25.40 | ROAD LEVEL |
| ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) | |
| (A) | PACKAGE A |
| (B) | PACKAGE B |
| (C) | PACKAGE C |
| (S) | SPECIALIST |

parcel.



SCALE 1:250

Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

- | | | | | | |
|--|-----------------------------|--|---------------------------|---|--------------------|
| | WATER | | TRANSFORMER SITE | | TOP OF KERB HEIGHT |
| | WATER METER | | RETAINING WALL & HEIGHT | | SPOT LEVEL |
| | WATER HYDRANT | | REVERSE WALL & HEIGHT | | PAD LEVEL |
| | WATER VALVE | | DRAINAGE | | ROAD LEVEL |
| | SEWER/ MANHOLE | | ACCESS RESTRICTION | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) | |
| | STREETLIGHT | | OPTICOMM CONNECTION | (A) | PACKAGE A |
| | POWER DOME MINI PILLAR | | SUGGESTED GARAGE LOCATION | (B) | PACKAGE B |
| | POWER DOME UNIVERSAL PILLAR | | | (C) | PACKAGE C |
| | BELOW GROUND SERVICE PIT | | | (S) | SPECIALIST |
| | | | BAL 12.5 | | |
| | | | BUSHFIRE ATTACK LEVEL | | |



Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		SPECIALIST



Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		A PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		B PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		C PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		S SPECIALIST




Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		SPECIALIST




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




parcel.




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		SPECIALIST



SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		SPECIALIST



Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND


	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		SPECIALIST



Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




- 



SCALE 1:250


Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

ADVENTURE ROAD



LEGEND

- | | | | | | |
|--|-----------------------------|--|---------------------------|--|---|
| | WATER | | TRANSFORMER SITE | | TOP OF KERB HEIGHT |
| | WATER METER | | RETAINING WALL & HEIGHT | | SPOT LEVEL |
| | WATER HYDRANT | | REVERSE WALL & HEIGHT | | PAD LEVEL |
| | WATER VALVE | | DRAINAGE | | ROAD LEVEL |
| | SEWER/ MANHOLE | | ACCESS RESTRICTION | | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) |
| | STREETLIGHT | | OPTICOMM CONNECTION | | PACKAGE A |
| | POWER DOME MINI PILLAR | | SUGGESTED GARAGE LOCATION | | PACKAGE B |
| | POWER DOME UNIVERSAL PILLAR | | BAL 12.5 | | PACKAGE C |
| | BELOW GROUND SERVICE PIT | | BUSHFIRE ATTACK LEVEL | | SPECIALIST |



SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



- 
- BELOW GROUND SERVICE PIT

- BAL 12.5 ●

- BUSHFIRE ATTACK LEVEL

- 25.40


- ROAD LEVEL

- (A) PACKAGE A
 (B) PACKAGE B
 (C) PACKAGE C
 (S) SPECIALIST

parcel.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 MNG Ref: 101636lip-047e Date: 19/05/2026



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

V WATER VALVE

PD MINI POWER DOME MINI PILLAR

PD UNIVERSAL POWER DOME UNIVERSAL PILLAR

BGP BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED GARAGE LOCATION



OPTICOMM CONNECTION




S SEWER/ MANHOLE



TS TRANSFORMER SITE



SL STREETLIGHT



BAL 12.5 BUSHFIRE ATTACK LEVEL



26.54 RETAINING WALL & HEIGHT



26.54 REVERSE WALL & HEIGHT



24.99 HOUSING AUTHORITY RETAINED



26.16 TOP OF KERB HEIGHT



26.32 SPOT LEVEL



25.40 PAD LEVEL



25.40 ROAD LEVEL

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C


S SPECIALIST



SCALE 1:250

parcel.

Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

V WATER VALVE

PM POWER DOME MINI PILLAR

PU POWER DOME UNIVERSAL PILLAR

BGP BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED GARAGE LOCATION



OPTCOMM CONNECTION



SEWER/ MANHOLE



TRANSFORMER SITE



STREETLIGHT



BAL 12.5 BUSHFIRE ATTACK LEVEL



RETAINING WALL & HEIGHT



REVERSE WALL & HEIGHT



HOUSING AUTHORITY RETAINED



TOP OF KERB HEIGHT



SPOT LEVEL



PAD LEVEL



ROAD LEVEL

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT


(FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C


S SPECIALIST



SCALE 1:250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

V WATER VALVE

PM POWER DOME MINI PILLAR

PU POWER DOME UNIVERSAL PILLAR

BGP BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED GARAGE LOCATION



OPTICOMM CONNECTION



S SEWER/ MANHOLE



TRANSFORMER SITE



STREETLIGHT



BAL 12.5



BUSHFIRE ATTACK LEVEL



26.54 RETAINING WALL & HEIGHT



26.54 REVERSE WALL & HEIGHT



24.99 HOUSING AUTHORITY RETAINED



26.16 TOP OF KERB HEIGHT



26.32 SPOT LEVEL



25.40 PAD LEVEL



25.40 ROAD LEVEL


ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C


S SPECIALIST




SCALE 1:250

parcel.


Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.






LEGEND

- | | | | | | |
|--|-----------------------------|--|---------------------------|--|---|
| | WATER | | TRANSFORMER SITE | | TOP OF KERB HEIGHT |
| | WATER METER | | RETAINING WALL & HEIGHT | | SPOT LEVEL |
| | WATER HYDRANT | | REVERSE WALL & HEIGHT | | PAD LEVEL |
| | WATER VALVE | | DRAINAGE | | ROAD LEVEL |
| | SEWER/ MANHOLE | | ACCESS RESTRICTION | | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) |
| | STREETLIGHT | | OPTICOMM CONNECTION | | PACKAGE A |
| | POWER DOME MINI PILLAR | | SUGGESTED GARAGE LOCATION | | PACKAGE B |
| | POWER DOME UNIVERSAL PILLAR | | BAL 12.5 | | PACKAGE C |
| | BELOW GROUND SERVICE PIT | | BUSHFIRE ATTACK LEVEL | | SPECIALIST |




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		SPECIALIST



Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

- | | | | | | |
|--|-----------------------------|--|---------------------------|--|---|
| | WATER | | TRANSFORMER SITE | | TOP OF KERB HEIGHT |
| | WATER METER | | RETAINING WALL & HEIGHT | | SPOT LEVEL |
| | WATER HYDRANT | | REVERSE WALL & HEIGHT | | PAD LEVEL |
| | WATER VALVE | | DRAINAGE | | ROAD LEVEL |
| | SEWER/ MANHOLE | | ACCESS RESTRICTION | | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) |
| | STREETLIGHT | | OPTICOMM CONNECTION | | (A) PACKAGE A |
| | POWER DOME MINI PILLAR | | SUGGESTED GARAGE LOCATION | | (B) PACKAGE B |
| | POWER DOME UNIVERSAL PILLAR | | BAL 12.5 | | (C) PACKAGE C |
| | BELOW GROUND SERVICE PIT | | BUSHFIRE ATTACK LEVEL | | (S) SPECIALIST |



Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

491

(33.16)

502
263m²

(32.42)

(B)

501

(32.42)

503

(32.42)

DISCOVER
WAY

31.54

31.74

31.92


32.10

LEGEND

	WATER		TRANSFORMER SITE
	WATER METER		RETAINING WALL & HEIGHT
	WATER HYDRANT		REVERSE WALL & HEIGHT
	WATER VALVE		DRAINAGE
	SEWER/ MANHOLE		ACCESS RESTRICTION
	STREETLIGHT		OPTICOMM CONNECTION
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION
	POWER DOME UNIVERSAL PILLAR		
	BELOW GROUND SERVICE PIT		
			BAL 12.5 BUSHFIRE ATTACK LEVEL

26.80	TOP OF KERB HEIGHT
26.16	SPOT LEVEL
26.32	PAD LEVEL
25.40	ROAD LEVEL
ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)	
(A)	PACKAGE A
(B)	PACKAGE B
(C)	PACKAGE C
(S)	SPECIALIST

parcel.



SCALE 1:250

Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

490

(33.53)

502

(32.42)

503
313m²

(32.42)

504

(32.79)

(B)

DISCOVER
WAY

31.74

31.92

32.10


32.21

LEGEND

- WATER
- WM WATER METER
- H WATER HYDRANT
- W WATER VALVE
- S SEWER/ MANHOLE
- STREETLIGHT
- POWER DOME MINI PILLAR
- POWER DOME UNIVERSAL PILLAR
- BELOW GROUND SERVICE PIT
- TRANSFORMER SITE
- RETAINING WALL & HEIGHT
- REVERSE WALL & HEIGHT
- DRAINAGE
- ACCESS RESTRICTION
- OPTICOMM CONNECTION
- SUGGESTED GARAGE LOCATION
- BAL 12.5 BUSHFIRE ATTACK LEVEL

- TOP OF KERB HEIGHT
- SPOT LEVEL
- PAD LEVEL
- ROAD LEVEL
- ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
- (A) PACKAGE A
- (B) PACKAGE B
- (C) PACKAGE C
- (S) SPECIALIST


parcel.



SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		A PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		B PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		C PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		S SPECIALIST



Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

489

(33.53)

504

(32.79)

505
188m²

(32.79)

(B)

506

(32.79)

DISCOVER
WAY

31.92

32.10

32.21

32.38


32.56

LEGEND

- | | | | |
|---|-----------------------------|---|---------------------------|
|  | WATER |  | TRANSFORMER SITE |
|  | WATER METER |  | RETAINING WALL & HEIGHT |
|  | WATER HYDRANT |  | REVERSE WALL & HEIGHT |
|  | WATER VALVE |  | DRAINAGE |
|  | SEWER/ MANHOLE |  | ACCESS RESTRICTION |
|  | STREETLIGHT |  | OPTICOMM CONNECTION |
|  | POWER DOME MINI PILLAR |  | SUGGESTED GARAGE LOCATION |
|  | POWER DOME UNIVERSAL PILLAR |  | BUSHFIRE ATTACK LEVEL |
|  | BELOW GROUND SERVICE PIT | | |

- | | |
|---|--------------------|
|  | TOP OF KERB HEIGHT |
|  | SPOT LEVEL |
|  | PAD LEVEL |
|  | ROAD LEVEL |
| ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) | |
| (A) | PACKAGE A |
| (B) | PACKAGE B |
| (C) | PACKAGE C |
| (S) | SPECIALIST |

parcel.



SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

488

(33.53)

506
313m²

(32.79)

(B)

505

(32.79)

507

(33.16)

DISCOVER
WAY

32.10

32.21

32.38


32.56

LEGEND

- | | | | |
|---|-----------------------------|---|--------------------------------|
|  | WATER |  | TRANSFORMER SITE |
|  | WATER METER |  | RETAINING WALL & HEIGHT |
|  | WATER HYDRANT |  | REVERSE WALL & HEIGHT |
|  | WATER VALVE |  | DRAINAGE |
|  | SEWER/ MANHOLE |  | ACCESS RESTRICTION |
|  | STREETLIGHT |  | OPTICOMM CONNECTION |
|  | POWER DOME MINI PILLAR |  | SUGGESTED GARAGE LOCATION |
|  | POWER DOME UNIVERSAL PILLAR | | |
|  | BELOW GROUND SERVICE PIT | | |
| | |  | BAL 12.5 BUSHFIRE ATTACK LEVEL |



- | | |
|---|--------------------|
| 26.80 | TOP OF KERB HEIGHT |
| 26.16 | SPOT LEVEL |
| 26.32 | PAD LEVEL |
| 25.40 | ROAD LEVEL |
| ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) | |
| (A) | PACKAGE A |
| (B) | PACKAGE B |
| (C) | PACKAGE C |
| (S) | SPECIALIST |

parcel.



SCALE 1:250

Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

- | | | |
|-----------------------------|---------------------------|---|
| WATER | TRANSFORMER SITE | TOP OF KERB HEIGHT |
| WATER METER | RETAINING WALL & HEIGHT | SPOT LEVEL |
| WATER HYDRANT | REVERSE WALL & HEIGHT | PAD LEVEL |
| WATER VALVE | DRAINAGE | ROAD LEVEL |
| SEWER/ MANHOLE | ACCESS RESTRICTION | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) |
| STREETLIGHT | OPTICOMM CONNECTION | (A) PACKAGE A |
| POWER DOME MINI PILLAR | SUGGESTED GARAGE LOCATION | (B) PACKAGE B |
| POWER DOME UNIVERSAL PILLAR | BAL 12.5 | (C) PACKAGE C |
| BELOW GROUND SERVICE PIT | BUSHFIRE ATTACK LEVEL | (S) SPECIALIST |



Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

486

(33.53)

90°

12.5

90°

508
313m²

507

(33.16)

25

(33.16)

25

509

(33.53)

(B)

90°

12.5

90°

**DISCOVER
WAY**

32.38

32.56


32.76

32.93

LEGEND


-  WATER
-  WATER METER
-  WATER HYDRANT
-  WATER VALVE
-  SEWER/ MANHOLE
-  STREETLIGHT
-  POWER DOME MINI PILLAR
-  POWER DOME UNIVERSAL PILLAR
-  BELOW GROUND SERVICE PIT
-  TRANSFORMER SITE
-  RETAINING WALL & HEIGHT
-  REVERSE WALL & HEIGHT
-  DRAINAGE
-  ACCESS RESTRICTION
-  OPTICOMM CONNECTION
-  SUGGESTED GARAGE LOCATION
-  BAL 12.5 BUSHFIRE ATTACK LEVEL
-  TOP OF KERB HEIGHT
-  SPOT LEVEL
-  PAD LEVEL
-  ROAD LEVEL
-  ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
-  (A) PACKAGE A
-  (B) PACKAGE B
-  (C) PACKAGE C
-  (S) SPECIALIST

parcel.



SCALE 1:250


Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND


- | | | | | | |
|--|-----------------------------|--|---------------------------|---|--------------------|
| | WATER | | TRANSFORMER SITE | | TOP OF KERB HEIGHT |
| | WATER METER | | RETAINING WALL & HEIGHT | | SPOT LEVEL |
| | WATER HYDRANT | | REVERSE WALL & HEIGHT | | PAD LEVEL |
| | WATER VALVE | | DRAINAGE | | ROAD LEVEL |
| | SEWER/ MANHOLE | | ACCESS RESTRICTION | ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION) | |
| | STREETLIGHT | | OPTICOMM CONNECTION | | |
| | POWER DOME MINI PILLAR | | SUGGESTED GARAGE LOCATION | | PACKAGE A |
| | POWER DOME UNIVERSAL PILLAR | | | | PACKAGE B |
| | BELOW GROUND SERVICE PIT | | | | PACKAGE C |
| | | | | | SPECIALIST |
- BAL 12.5 BUSHFIRE ATTACK LEVEL

parcel.



SCALE 1:250


Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND


	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		(A) PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		(B) PACKAGE B
	POWER DOME UNIVERSAL PILLAR				(C) PACKAGE C
	BELOW GROUND SERVICE PIT				(S) SPECIALIST
			BAL 12.5 BUSHFIRE ATTACK LEVEL		

parcel.




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




LEGEND

	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		A PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		B PACKAGE B
	POWER DOME UNIVERSAL PILLAR		BAL 12.5		C PACKAGE C
	BELOW GROUND SERVICE PIT		BUSHFIRE ATTACK LEVEL		S SPECIALIST




Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND


	WATER		TRANSFORMER SITE		TOP OF KERB HEIGHT
	WATER METER		RETAINING WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		REVERSE WALL & HEIGHT		PAD LEVEL
	WATER VALVE		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		ACCESS RESTRICTION		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)
	STREETLIGHT		OPTICOMM CONNECTION		(A) PACKAGE A
	POWER DOME MINI PILLAR		SUGGESTED GARAGE LOCATION		(B) PACKAGE B
	POWER DOME UNIVERSAL PILLAR				(C) PACKAGE C
	BELOW GROUND SERVICE PIT				(S) SPECIALIST
			BAL 12.5 BUSHFIRE ATTACK LEVEL		

parcel.



SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- POWER DOME MINI PILLAR
- POWER DOME UNIVERSAL PILLAR
- BELOW GROUND SERVICE PIT
- DRAINAGE
- ACCESS RESTRICTION
- SUGGESTED GARAGE LOCATION
- OPTICOMM CONNECTION
- SEWER/ MANHOLE
- TRANSFORMER SITE
- STREETLIGHT
- BAL 12.5 BUSHFIRE ATTACK LEVEL

- 26.54 RETAINING WALL & HEIGHT
- 26.54 REVERSE WALL & HEIGHT
- 24.99 HOUSING AUTHORITY RETAINED
- 26.16 TOP OF KERB HEIGHT
- 26.32 SPOT LEVEL
- 25.40 PAD LEVEL
- ROAD LEVEL


ACOUSTIC ATTENUATION
PACKAGE REQUIREMENT
(FOR SINGLE STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C
- SPECIALIST

NORTH
SCALE 1:250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

WV WATER VALVE

PM POWER DOME MINI PILLAR

PU POWER DOME UNIVERSAL PILLAR

BGS BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED GARAGE LOCATION



OPTICOMM CONNECTION



S SEWER/ MANHOLE



T TRANSFORMER SITE



SL STREETLIGHT



BAL 12.5 BUSHFIRE ATTACK LEVEL

26.54

RETAINING WALL & HEIGHT

26.54

REVERSE WALL & HEIGHT



HOUSING AUTHORITY RETAINED

24.99

TOP OF KERB HEIGHT

26.16

SPOT LEVEL

26.32

PAD LEVEL

25.40

ROAD LEVEL

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT


(FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C


S SPECIALIST



SCALE 1:250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

X WATER VALVE

PM POWER DOME MINI PILLAR

PU POWER DOME UNIVERSAL PILLAR

BS BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED
GARAGE LOCATION



OPTICOMM CONNECTION




SEWER/ MANHOLE



TRANSFORMER SITE



STREETLIGHT



BUSHFIRE ATTACK LEVEL

26.54

RETAINING WALL & HEIGHT

26.54

REVERSE WALL & HEIGHT



HOUSING AUTHORITY RETAINED

24.99

TOP OF KERB HEIGHT

26.16

SPOT LEVEL

26.32

PAD LEVEL

25.40

ROAD LEVEL

ACOUSTIC ATTENUATION
PACKAGE REQUIREMENT

(FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C


S SPECIALIST



SCALE 1:250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

WV WATER VALVE

PDMP POWER DOME MINI PILLAR

PDUP POWER DOME UNIVERSAL PILLAR

BGPS PIT BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED GARAGE LOCATION



OPTICOMM CONNECTION



S SEWER/ MANHOLE



TS TRANSFORMER SITE



SL STREETLIGHT



BAL 12.5 BUSHFIRE ATTACK LEVEL



26.54 RETAINING WALL & HEIGHT



26.54 REVERSE WALL & HEIGHT



24.99 HOUSING AUTHORITY RETAINED



26.16 TOP OF KERB HEIGHT



26.32 SPOT LEVEL



25.40 PAD LEVEL



25.40 ROAD LEVEL

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C


S SPECIALIST




SCALE 1:250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.





LEGEND

W WATER

WM WATER METER

H WATER HYDRANT

V WATER VALVE

PM POWER DOME MINI PILLAR

PU POWER DOME UNIVERSAL PILLAR

BGS BELOW GROUND SERVICE PIT



DRAINAGE



ACCESS RESTRICTION



SUGGESTED GARAGE LOCATION



OPTICOMM CONNECTION



S SEWER/ MANHOLE



TRANSFORMER SITE



STREETLIGHT



BAL 12.5 BUSHFIRE ATTACK LEVEL



RETAINING WALL & HEIGHT



REVERSE WALL & HEIGHT



HOUSING AUTHORITY RETAINED



TOP OF KERB HEIGHT



SPOT LEVEL



PAD LEVEL



ROAD LEVEL


ACOUSTIC ATTENUATION PACKAGE REQUIREMENT
(FOR SINGLE STOREY CONSTRUCTION)

A PACKAGE A

B PACKAGE B

C PACKAGE C

S SPECIALIST



SCALE 1:250

parcel.

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.