





LEGEND		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME		BUSHFIRE ATTACK LEVEL		TOP OF KERB HEIGHT		ACCESS RESTRICTION	
	WATER				26.54		MINI PILLAR		BAL 12.5		24.99		ACCESS RESTRICTION
	WATER METER				26.54		UNIVERSAL PILLAR		BAL 19		26.16		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER HYDRANT						STREETLIGHTS		BAL 29		26.32		PACKAGE A
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		TRANSFORMER SITE		OPTICOMM CONNECTION		25.40		PACKAGE B
									SEWER/ MANHOLE				PACKAGE C

STAGE 3




SCALE 1:1000 @ A2

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND										
	WATER		BUSHFIRE ATTACK LEVEL		POWER DOME MINI PILLAR		26.54		26.80	TOP OF KERB HEIGHT
	WATER METER		BAL 12.5		POWER DOME UNIVERSAL PILLAR		26.54		26.16	SPOT LEVEL
	WATER HYDRANT		BAL 19		POWER DOME UNIVERSAL PILLAR				26.32	PAD LEVEL
	WATER VALVE		BAL 29		POWER DOME UNIVERSAL PILLAR				25.40	ROAD LEVEL
	SEWER/ MANHOLE				POWER DOME UNIVERSAL PILLAR					
	ACCESS RESTRICTION				POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					
					POWER DOME UNIVERSAL PILLAR					

- BAL 12.5
- BAL 19
- BAL 29

(A) PACKAGE A
 (B) PACKAGE B
 (C) PACKAGE C

POWER DOME
UNIVERSAL PILLAR

STREETLIGHTS



100

REVERSE WALL
& HEIGHT

DRAINAGE



OPTICOMM
CONNECTION

00

0.76

(26.32)

100



10

STAGE 3




SCALE 1:250

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 MNG Ref: 101636lip-023f Date: 10/09/2025





LEGEND

- W WATER
- WM WATER METER
- H WATER HYDRANT
- V WATER VALVE
- S SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY



RETAINING WALL
& HEIGHT



REVERSE WALL
& HEIGHT



NON-STRUCTURAL
WALL



DRAINAGE



OPTICOMM
CONNECTION



TOP OF
KERB HEIGHT



SPOT LEVEL



PAD LEVEL



ROAD LEVEL



GARAGE
LOCATION

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025


parcel.



LEGEND	BUSHFIRE ATTACK LEVEL		POWER DOME MINI PILLAR		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT
	BAL 12.5		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	BAL 19						
	BAL 29		TRANSFORMER SITE		NON-STRUCTURAL WALL		PAD LEVEL
	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)		STREETLIGHTS		DRAINAGE		ROAD LEVEL
	(A) PACKAGE A		EMERGENCY ACCESS WAY		OPTICOMM CONNECTION		GARAGE LOCATION
	(B) PACKAGE B						
	(C) PACKAGE C						

 GARAGE
LOCATION


parcel.



LEGEND

	WATER		BUSHFIRE ATTACK LEVEL		POWER DOME MINI PILLAR		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT
	WATER METER		BAL 19		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		BAL 29		TRANSFORMER SITE		NON-STRUCTURAL WALL		PAD LEVEL
	WATER VALVE	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)			STREETLIGHTS		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE				EMERGENCY ACCESS WAY		OPTICOMM CONNECTION		GARAGE LOCATION
	ACCESS RESTRICTION		PACKAGE A						
			PACKAGE B						
			PACKAGE C						

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND									
	WATER		BUSHFIRE ATTACK LEVEL		POWER DOME MINI PILLAR		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT
	WATER METER		BAL 12.5		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		BAL 19		POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		PAD LEVEL
	WATER VALVE		BAL 29		POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
	SEWER/ MANHOLE				POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
	ACCESS RESTRICTION				POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		ROAD LEVEL



NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025

parcel.



NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025

parcel.



NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025

parcel.



NORTH

STAGE 3


SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND			
	WATER		BUSHFIRE ATTACK LEVEL
	WATER METER		BAL 12.5
	WATER HYDRANT		BAL 19
	WATER VALVE		BAL 29
	SEWER/ MANHOLE		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	ACCESS RESTRICTION		PACKAGE A
			PACKAGE B
			PACKAGE C
			POWER DOME MINI PILLAR
			POWER DOME UNIVERSAL PILLAR
			TRANSFORMER SITE
			STREETLIGHTS
			EMERGENCY ACCESS WAY
			RETAINING WALL & HEIGHT
			REVERSE WALL & HEIGHT
			NON-STRUCTURAL WALL
			DRAINAGE
			OPTICOMM CONNECTION
			TOP OF KERB HEIGHT
			SPOT LEVEL
			PAD LEVEL
			ROAD LEVEL
			GARAGE LOCATION



NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025

parcel.



NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025

parcel.



NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025

parcel.



NORTH

STAGE 3


SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG** Ref: 101636lip-023f Date: 10/09/2025





LEGEND

WATER	BUSHFIRE ATTACK LEVEL BAL 12.5	POWER DOME MINI PILLAR	RETAINING WALL & HEIGHT	TOP OF KERB HEIGHT
WATER METER	BAL 19	POWER DOME UNIVERSAL PILLAR	REVERSE WALL & HEIGHT	SPOT LEVEL
WATER HYDRANT	BAL 29	TRANSFORMER SITE	NON-STRUCTURAL WALL	PAD LEVEL
WATER VALVE	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)	STREETLIGHTS	DRAINAGE	ROAD LEVEL
SEWER/ MANHOLE	A PACKAGE A	EMERGENCY ACCESS WAY	OPTICOMM CONNECTION	GARAGE LOCATION
ACCESS RESTRICTION	B PACKAGE B			
	C PACKAGE C			

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG. Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND

- | | |
|---|--------------------|
|  | WATER |
|  | WATER METER |
|  | WATER HYDRANT |
|  | WATER VALVE |
|  | SEWER/ MANHOLE |
|  | ACCESS RESTRICTION |

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29


ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- Ⓐ PACKAGE A
Ⓑ PACKAGE B
Ⓒ PACKAGE C

- | | |
|---|--------------------------------|
|  | POWER DOME
MINI PILLAR |
|  | POWER DOME
UNIVERSAL PILLAR |
|  | TRANSFORMER SITE |
|  | STREETLIGHTS |
|  | EMERGENCY
ACCESS WAY |

- | | | | |
|---|----------------------------|---|-----------------------|
|  | RETAINING WALL
& HEIGHT |  | TOP OF
KERB HEIGHT |
|  | REVERSE WALL
& HEIGHT |  | SPOT LEVEL |
|  | NON-STRUCTURAL
WALL |  | PAD LEVEL |
|  | DRAINAGE |  | ROAD LEVEL |
|  | OPTICOMM
CONNECTION |  | GARAGE
LOCATION |

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 MNG.Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY



RETAINING WALL
& HEIGHT



REVERSE WALL
& HEIGHT



NON-STRUCTURAL
WALL



DRAINAGE



OPTICOMM
CONNECTION



TOP OF
KERB HEIGHT



SPOT LEVEL



PAD LEVEL



ROAD LEVEL



GARAGE
LOCATION

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12,5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT

NON-STRUCTURAL
WALL



DRAINAGE



OPTICOMM
CONNECTION

26.80 TOP OF
KERB HEIGHT


26.16 SPOT LEVEL

26.30 PAD LEVEL

25.40 ROAD LEVEL

GARAGE
LOCATION

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND											
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		TOP OF KERB HEIGHT
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION		SPOT LEVEL
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE		PAD LEVEL
	WATER VALVE						TRANSFORMER SITE				ROAD LEVEL
											ACCESS RESTRICTION
											ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
											PACKAGE A
											PACKAGE B
											PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND			DRAINAGE		26.54	RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		24.99	TOP OF KERB HEIGHT		ACCESS RESTRICTION		
	WATER									BAL 12,5				ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)			
	WATER METER		EMERGENCY ACCESS WAY		26.54	REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		BAL 19		26.16	SPOT LEVEL				
	WATER HYDRANT							STREETLIGHTS		BAL 29		25.32	PAD LEVEL				PACKAGE A
	WATER VALVE		GARAGE LOCATION			NON-STRUCTURAL WALL		TRANSFORMER SITE		SEWER/ MANHOLE		25.40	ROAD LEVEL				PACKAGE B
															PACKAGE C		

STAGE 3



SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.

206

205

190

191

192

35.00

313m²

90°

12.5

90°

25

25

90°

12.5

90°

34.73

34.65

34.79

34.74

34.60

34.60

34.50

34.40

34.40

INSPIRATION
BOULEVARD

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT

26.54

NON-STRUCTURAL
WALL

26.54

DRAINAGE

26.54

OPTICOMM
CONNECTION

26.54

GARAGE LOCATION

26.80

TOP OF
KERB HEIGHT

26.16

SPOT LEVEL

26.32

PAD LEVEL

25.40

ROAD LEVEL

STAGE 3

SCALE 1:250



Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.

205

191

192

35.00

313m²

193

INSPIRATION
BOULEVARD

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME MINI PILLAR



POWER DOME UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY ACCESS WAY



RETAINING WALL & HEIGHT



REVERSE WALL & HEIGHT



NON-STRUCTURAL WALL



DRAINAGE



OPTICOMM CONNECTION



TOP OF KERB HEIGHT



SPOT LEVEL



PAD LEVEL



ROAD LEVEL



GARAGE LOCATION

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.

204

192

193

(35.00)

313m²

194

INSPIRATION BOULEVARD

34.40

34.30

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT

26.30

NON-STRUCTURAL
WALL

25.40

DRAINAGE

25.40

OPTICOMM
CONNECTION

26.80

TOP OF
KERB HEIGHT

26.16

SPOT LEVEL

26.30

PAD LEVEL


25.40

ROAD LEVEL

25.40

GARAGE
LOCATION

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND		BUSHFIRE ATTACK LEVEL		POWER DOME		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT	
	WATER		BAL 12.5		MINI PILLAR		26.54		26.80
	WATER METER		BAL 19		UNIVERSAL PILLAR		26.54		26.16
	WATER HYDRANT		BAL 29		TRANSFORMER SITE		NON-STRUCTURAL WALL		26.30
	WATER VALVE	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)			STREETLIGHTS		DRAINAGE		25.40
	SEWER/ MANHOLE		PACKAGE A		EMERGENCY ACCESS WAY		OPTICOMM CONNECTION		GARAGE LOCATION
	ACCESS RESTRICTION		PACKAGE B						
			PACKAGE C						

STAGE 3



SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.

203

202

194

195

196

35.00

188m²

90° 7.5 90°

90° 7.5 90°

INSPIRATION 34.30 BOULEVARD

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12,5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME MINI PILLAR



POWER DOME UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY ACCESS WAY

26.54

RETAINING WALL & HEIGHT

26.54

REVERSE WALL & HEIGHT



NON-STRUCTURAL WALL



DRAINAGE



OPTICOMM CONNECTION

26.80

TOP OF KERB HEIGHT

26.16

SPOT LEVEL

26.30

PAD LEVEL

25.40

ROAD LEVEL



GARAGE LOCATION

STAGE 3



SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.

202

195

196

197

35.00

188m²

90° 7.5 90°

90° 7.5 90°

INSPIRATION 34.30 BOULEVARD

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT



NON-STRUCTURAL
WALL



DRAINAGE



OPTICOMM
CONNECTION

26.80

TOP OF
KERB HEIGHT

26.16

SPOT LEVEL

26.30

PAD LEVEL


25.40

ROAD LEVEL



GARAGE
LOCATION

STAGE 3



SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.

202

201

196

197

198

35.00
263m²

INSPIRATION
BOULEVARD

34.30

34.30

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT



NON-STRUCTURAL
WALL



DRAINAGE



OPTICOMM
CONNECTION

26.80

TOP OF
KERB HEIGHT

26.16

SPOT LEVEL

26.30

PAD LEVEL

25.40

ROAD LEVEL



GARAGE
LOCATION

STAGE 3


SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND		BUSHFIRE ATTACK LEVEL		POWER DOME		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT	
	WATER		BAL 12.5		POWER DOME MINI PILLAR		26.54		26.80
	WATER METER		BAL 19		POWER DOME UNIVERSAL PILLAR		26.54		26.16
	WATER HYDRANT		BAL 29		TRANSFORMER SITE				26.30
	WATER VALVE	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)			STREETLIGHTS				25.40
	SEWER/ MANHOLE		PACKAGE A		EMERGENCY ACCESS WAY				
	ACCESS RESTRICTION		PACKAGE B						
			PACKAGE C						


STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND

- | | |
|---|-----------------------|
|  | WATER |
|  | WATER METER |
|  | WATER HYDRANT |
|  | WATER VALVE |
|  | SEWER/ MANHOLE |
|  | ACCESS
RESTRICTION |

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29


ACOUSTIC ATTENUATION
PACKAGE REQUIREMENT

- Ⓐ PACKAGE A
Ⓑ PACKAGE B
Ⓒ PACKAGE C

-  POWER DOME
MINI PILLAR
-  POWER DOME
UNIVERSAL PILLAR
-  TRANSFORMER SITE
-  STREETLIGHTS
-  EMERGENCY
ACCESS WAY

- | | | | |
|---|----------------------------|---|-----------------------|
|  | RETAINING WALL
& HEIGHT |  | TOP OF
KERB HEIGHT |
|  | REVERSE WALL
& HEIGHT |  | SPOT LEVEL |
|  | NON-STRUCTURAL
WALL |  | PAD LEVEL |
|  | DRAINAGE |  | ROAD LEVEL |
|  | OPTICOMM
CONNECTION |  | GARAGE
LOCATION |

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 MNG.Ref: 101636lip-023f Date: 10/09/2025





LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT

26.54

NON-STRUCTURAL
WALL

26.54

DRAINAGE

26.54

OPTICOMM
CONNECTION

26.54

TOP OF
KERB HEIGHT

26.54

SPOT LEVEL

26.54

PAD LEVEL

26.54

ROAD LEVEL

26.54

GARAGE
LOCATION

STAGE 3


SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.




LEGEND									
	WATER		BUSHFIRE ATTACK LEVEL		POWER DOME MINI PILLAR		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT
	WATER METER		BAL 12.5		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		BAL 19		POWER DOME UNIVERSAL PILLAR				
	WATER VALVE		BAL 29		POWER DOME UNIVERSAL PILLAR				
	SEWER/ MANHOLE				POWER DOME UNIVERSAL PILLAR		NON-STRUCTURAL WALL		PAD LEVEL
	ACCESS RESTRICTION				POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
			ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)		POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
			PACKAGE A		POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
			PACKAGE B		POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
			PACKAGE C		POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL
					POWER DOME UNIVERSAL PILLAR		ROAD LEVEL		ROAD LEVEL

 GARAGE
LOCATION

parcel.

parcel.



LEGEND									
	WATER		BUSHFIRE ATTACK LEVEL		POWER DOME MINI PILLAR		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT
	WATER METER		BAL 12.5		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		BAL 19		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	WATER VALVE		BAL 29		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	SEWER/ MANHOLE				POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	ACCESS RESTRICTION				POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
					POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL

- BAL 12.5
- BAL 19
- BAL 29

Ⓐ PACKAGE A
Ⓑ PACKAGE B
Ⓒ PACKAGE C



EMERGENCY
ACCESS WAY


OPTICOMM
CONNECTION

 GARAGE
LOCATION

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG**.Ref: 101636lip-023f Date: 10/09/2025






LEGEND

WATER	WATER METER	WATER HYDRANT	WATER VALVE	SEWER/ MANHOLE	ACCESS RESTRICTION
BAL 12.5	BAL 19	BAL 29	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)	PACKAGE A	PACKAGE B
PACKAGE C	POWER DOME MINI PILLAR	POWER DOME UNIVERSAL PILLAR	TRANSFORMER SITE	STREETLIGHTS	EMERGENCY ACCESS WAY
26.54 RETAINING WALL & HEIGHT	26.54 REVERSE WALL & HEIGHT	NON-STRUCTURAL WALL	DRAINAGE	OPTICOMM CONNECTION	GARAGE LOCATION
26.80 TOP OF KERB HEIGHT	26.16 SPOT LEVEL	26.30 PAD LEVEL	25.40 ROAD LEVEL		

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL BAL 29
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		BAL 19
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		BAL 12.5
	WATER VALVE						TRANSFORMER SITE		BAL 29
							SEWER/ MANHOLE		OPTICOMM CONNECTION
							ACCESS RESTRICTION		TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND		DRAINAGE		26.54	RETAINING WALL & HEIGHT	POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL	24.99	TOP OF KERB HEIGHT	ACCESS RESTRICTION
	WATER						BAL 12.5			
	WATER METER		EMERGENCY ACCESS WAY	26.54	REVERSE WALL & HEIGHT		BAL 19		26.16	SPOT LEVEL
	WATER HYDRANT						BAL 29			ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		26.32	PAD LEVEL
							TRANSFORMER SITE		25.40	ROAD LEVEL
										SEWER/ MANHOLE
										(A) PACKAGE A (B) PACKAGE B (C) PACKAGE C

LEGEND										
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL BAL 12.5 BAL 19 BAL 29	TOP OF KERB HEIGHT 	ACCESS RESTRICTION
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		SPOT LEVEL 	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER HYDRANT						STREETLIGHTS	OPTICOMM CONNECTION 	PAD LEVEL 	(A) PACKAGE A
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		TRANSFORMER SITE	SEWER/ MANHOLE 	ROAD LEVEL 	(B) PACKAGE B (C) PACKAGE C

LEGEND		DRAINAGE		26.54	RETAINING WALL & HEIGHT	POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL	24.99	TOP OF KERB HEIGHT	ACCESS RESTRICTION
	WATER						BAL 12.5			
	WATER METER		EMERGENCY ACCESS WAY	26.54	REVERSE WALL & HEIGHT		BAL 19		26.16	SPOT LEVEL
	WATER HYDRANT						BAL 29			ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		OPTICOMM CONNECTION		26.32	PAD LEVEL
							SEWER/ MANHOLE		25.40	ROAD LEVEL
										(A) PACKAGE A (B) PACKAGE B (C) PACKAGE C

LEGEND		DRAINAGE		26.54	RETAINING WALL & HEIGHT	POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL	24.99	TOP OF KERB HEIGHT	ACCESS RESTRICTION
	WATER						BAL 12.5			
	WATER METER		EMERGENCY ACCESS WAY	26.54	REVERSE WALL & HEIGHT		BAL 19		26.16	SPOT LEVEL
	WATER HYDRANT						BAL 29			ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		OPTICOMM CONNECTION		26.32	PAD LEVEL
							SEWER/ MANHOLE		25.40	ROAD LEVEL
										(A) PACKAGE A (B) PACKAGE B (C) PACKAGE C

LEGEND		DRAINAGE		26.54	RETAINING WALL & HEIGHT	POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL	24.99	TOP OF KERB HEIGHT	ACCESS RESTRICTION
	WATER						BAL 12.5			
	WATER METER		EMERGENCY ACCESS WAY	26.54	REVERSE WALL & HEIGHT		BAL 19		26.16	SPOT LEVEL
	WATER HYDRANT						BAL 29			ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		OPTICOMM CONNECTION		26.32	PAD LEVEL
							SEWER/ MANHOLE		25.40	ROAD LEVEL
										(A) PACKAGE A (B) PACKAGE B (C) PACKAGE C

LEGEND		DRAINAGE		26.54	RETAINING WALL & HEIGHT	POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL	24.99	TOP OF KERB HEIGHT	ACCESS RESTRICTION
	WATER						BAL 12.5			
	WATER METER		EMERGENCY ACCESS WAY	26.54	REVERSE WALL & HEIGHT		BAL 19		26.16	SPOT LEVEL
	WATER HYDRANT						BAL 29			ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		OPTICOMM CONNECTION		26.32	PAD LEVEL
							SEWER/ MANHOLE		25.40	ROAD LEVEL
										(A) PACKAGE A (B) PACKAGE B (C) PACKAGE C

LEGEND		DRAINAGE		26.54	RETAINING WALL & HEIGHT	POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL	24.99	TOP OF KERB HEIGHT	ACCESS RESTRICTION
	WATER						BAL 12.5			
	WATER METER		EMERGENCY ACCESS WAY	26.54	REVERSE WALL & HEIGHT		BAL 19		26.16	SPOT LEVEL
	WATER HYDRANT						BAL 29			ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		OPTICOMM CONNECTION		26.32	PAD LEVEL
							SEWER/ MANHOLE		25.40	ROAD LEVEL
										(A) PACKAGE A (B) PACKAGE B (C) PACKAGE C

LEGEND		DRAINAGE		26.54	RETAINING WALL & HEIGHT	POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL	24.99	TOP OF KERB HEIGHT	ACCESS RESTRICTION
	WATER		EMERGENCY ACCESS WAY	26.54	REVERSE WALL & HEIGHT		BAL 12.5	26.32	PAD LEVEL	(A) PACKAGE A
	WATER METER		GARAGE LOCATION		NON-STRUCTURAL WALL		BAL 19	26.16	SPOT LEVEL	(B) PACKAGE B
	WATER HYDRANT						BAL 29	25.40	ROAD LEVEL	(C) PACKAGE C
	WATER VALVE						OPTICOMM CONNECTION			
							SEWER/ MANHOLE			

STAGE 3



NORTH


SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



MNG. Ref: 101636lip-023f Date: 10/09/2025





STAGE 3

 NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



 MNG. Ref: 101636lip-023f Date: 10/09/2025

STAGE 3



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



MNG. Ref: 101636lip-023f Date: 10/09/2025

parcel.

STAGE 3

 NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



 MNG. Ref: 101636lip-023f Date: 10/09/2025

10

STAGE 3



NORTH


SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



MNG. Ref: 101636lip-023f Date: 10/09/2025





LEGEND																
	WATER		DRAINAGE		26.54	RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		24.99	TOP OF KERB HEIGHT		26.16	ACCESS RESTRICTION
	WATER METER		EMERGENCY ACCESS WAY		26.54	REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION		26.32	PAD LEVEL		25.40	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER HYDRANT		GARAGE LOCATION			NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE			ROAD LEVEL		A	PACKAGE A
	WATER VALVE							TRANSFORMER SITE							B	PACKAGE B
															C	PACKAGE C

STAGE 3



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.





Ref: 101636lip-023f Date: 10/09/2025

STAGE 3



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.





Ref: 101636lip-023f Date: 10/09/2025

STAGE 3



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.





Ref: 101636lip-023f Date: 10/09/2025

STAGE 3



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.





Ref: 101636lip-023f Date: 10/09/2025

STAGE 3



NORTH


SCALE 1:250

Depleted Information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.





Ref: 101636lip-023f Date: 10/09/2025



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		
									TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									Ⓐ PACKAGE A
									Ⓑ PACKAGE B
									Ⓒ PACKAGE C

STAGE 3



SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.

	WATER
	WATER METER
	WATER HYDRANT
	WATER VALVE

GARAGE
LOCATION

RETAINING WALL
& HEIGHT

REVERSE WALL
& HEIGHT

NON-STRUCTURAL
WALL



POWER DOME
MINI PILLAR
POWER DOME
UNIVERSAL PILLAR
STREETLIGHTS
TRANSFORMER SITE

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

OPTICOMM CONNECTION

SEWER/ MANHOLE

24.99 TOP OF KERB HEIGHT
26.16 SPOT LEVEL
(26.32) PAD LEVEL
25.40 ROAD LEVEL

ACCESS RESTRICTION

**ACOUSTIC ATTENUATION
PACKAGE REQUIREMENT**
(FOR SECOND STOREY CONSTRUCTION)

(A) PACKAGE A

(B) PACKAGE B


(C) PACKAGE C



SCALE 1:250


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		
									TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									Ⓐ PACKAGE A
									Ⓑ PACKAGE B
									Ⓒ PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY



RETAINING WALL
& HEIGHT



REVERSE WALL
& HEIGHT



NON-STRUCTURAL
WALL



DRAINAGE



OPTICOMM
CONNECTION



TOP OF
KERB HEIGHT



SPOT LEVEL



PAD LEVEL



ROAD LEVEL



GARAGE
LOCATION

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.

216

221

217

218

219

34.70
375m²

34.00 INSPIRATION BOULEVARD

LEGEND

-  WATER
-  WATER METER
-  WATER HYDRANT
-  WATER VALVE
-  SEWER/ MANHOLE
-  ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

-  BAL 12.5
-  BAL 19
-  BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

-  PACKAGE A
-  PACKAGE B
-  PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT

NON-STRUCTURAL
WALL

NON-STRUCTURAL
WALL

DRAINAGE

DRAINAGE

OPTICOMM
CONNECTION

OPTICOMM
CONNECTION

26.80

TOP OF
KERB HEIGHT

26.16

SPOT LEVEL

26.30

PAD LEVEL

25.40

ROAD LEVEL

GARAGE
LOCATION

GARAGE
LOCATION

STAGE 3


SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025


parcel.



LEGEND

	WATER		BUSHFIRE ATTACK LEVEL BAL 12.5		POWER DOME MINI PILLAR		RETAINING WALL & HEIGHT		TOP OF KERB HEIGHT
	WATER METER		BAL 19		POWER DOME UNIVERSAL PILLAR		REVERSE WALL & HEIGHT		SPOT LEVEL
	WATER HYDRANT		BAL 29		TRANSFORMER SITE		NON-STRUCTURAL WALL		PAD LEVEL
	WATER VALVE		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)		STREETLIGHTS		DRAINAGE		ROAD LEVEL
	SEWER/ MANHOLE		(A) PACKAGE A		EMERGENCY ACCESS WAY		OPTICOMM CONNECTION		GARAGE LOCATION
	ACCESS RESTRICTION		(B) PACKAGE B						
			(C) PACKAGE C						

STAGE 3




SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



LEGEND													
	WATER		BUSHFIRE ATTACK LEVEL		POWER DOME MINI PILLAR		26.54		RETAINING WALL & HEIGHT		26.80		TOP OF KERB HEIGHT
	WATER METER		BAL 12.5		POWER DOME UNIVERSAL PILLAR		26.54		REVERSE WALL & HEIGHT		26.16		SPOT LEVEL
	WATER HYDRANT		BAL 29		TRANSFORMER SITE				NON-STRUCTURAL WALL		26.32		PAD LEVEL
	WATER VALVE		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)		STREETLIGHTS		25.40		ROAD LEVEL		25.40		ROAD LEVEL
	SEWER/ MANHOLE		Ⓐ PACKAGE A		EMERGENCY ACCESS WAY		25.40		DRAINAGE		25.40		DRAINAGE
	ACCESS RESTRICTION		Ⓑ PACKAGE B				25.40		OPTICOMM CONNECTION		25.40		OPTICOMM CONNECTION
			Ⓒ PACKAGE C				25.40		GARAGE LOCATION		25.40		GARAGE LOCATION



NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG.** Ref: 101636lip-023f Date: 10/09/2025





NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG.** Ref: 101636lip-023f Date: 10/09/2025





NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG.** Ref: 101636lip-023f Date: 10/09/2025





NORTH

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

 **MNG.** Ref: 101636lip-023f Date: 10/09/2025




WATER	WATER METER	WATER HYDRANT	WATER VALVE	SEWERAGE	MINI PILLAR	POWER DOME UNIVERSAL PILLAR	STREETLIGHTS	TRANSFORMER SITE	BAL 12.5 BAL 19 BAL 29	SEWER/ MANHOLE	KERB HEIGHT	SPOT LEVEL	PAD LEVEL	ROAD LEVEL	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
															(A) PACKAGE A (B) PACKAGE B (C) PACKAGE C
EMERGENCY ACCESS WAY	REVERSE WALL & HEIGHT	NON-STRUCTURAL WALL	26.54	26.32	25.40	26.16	26.32	25.40	26.16	26.32	25.40	26.16	26.32	25.40	

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		BAL 12.5
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		BAL 19
	WATER VALVE						TRANSFORMER SITE		BAL 29
									OPTICOMM CONNECTION
									SEWER/ MANHOLE
									TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		
									TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									Ⓐ PACKAGE A
									Ⓑ PACKAGE B
									Ⓒ PACKAGE C

STAGE 3



SCALE 1:250


Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.

	WATER		DRAINAGE		& HEIGHT		MINI PILLAR		BAL 12.5 BAL 19 BAL 29		KERB HEIGHT	
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR				SPOT LEVEL	(A) PACKAGE A
	WATER HYDRANT				NON-STRUCTURAL WALL		STREETLIGHTS		OPTICOMM CONNECTION		PAD LEVEL	(B) PACKAGE B
	WATER VALVE		GARAGE LOCATION				TRANSFORMER SITE		SEWER/ MANHOLE		ROAD LEVEL	(C) PACKAGE C

parcel.



LEGEND		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME		BUSHFIRE ATTACK LEVEL		TOP OF KERB HEIGHT		ACCESS RESTRICTION	
	WATER				26.54		MINI PILLAR		BAL 12.5		24.99	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)	
	WATER METER		EMERGENCY ACCESS WAY		26.54		UNIVERSAL PILLAR		BAL 19		26.16		
	WATER HYDRANT		GARAGE LOCATION				STREETLIGHTS		BAL 29		26.32		
	WATER VALVE						TRANSFORMER SITE				25.40		
												PACKAGE A	
												PACKAGE B	
												PACKAGE C	

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND							
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS
	WATER VALVE						TRANSFORMER SITE
							BUSHFIRE ATTACK LEVEL
							OPTICOMM CONNECTION
							SEWER/ MANHOLE
							TOP OF KERB HEIGHT
							SPOT LEVEL
							PAD LEVEL
							ROAD LEVEL
							ACCESS RESTRICTION
							ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
							PACKAGE A
							PACKAGE B
							PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND															
	WATER		DRAINAGE		26.54	RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		24.99	TOP OF KERB HEIGHT		ACCESS RESTRICTION
	WATER METER		EMERGENCY ACCESS WAY		26.54	REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		BAL 12.5 BAL 19 BAL 29		26.16	SPOT LEVEL		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER HYDRANT							STREETLIGHTS		OPTICOMM CONNECTION		26.32	PAD LEVEL		(A) PACKAGE A
	WATER VALVE		GARAGE LOCATION			NON-STRUCTURAL WALL		TRANSFORMER SITE		SEWER/ MANHOLE		25.40	ROAD LEVEL		(B) PACKAGE B
															(C) PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND															
	WATER		DRAINAGE		26.54	RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		24.99	TOP OF KERB HEIGHT		ACCESS RESTRICTION
	WATER METER		EMERGENCY ACCESS WAY		26.54	REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		BAL 12.5 BAL 19 BAL 29 OPTICOMM CONNECTION		26.16	SPOT LEVEL	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)	
	WATER HYDRANT		GARAGE LOCATION			NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE		26.32	PAD LEVEL	(A)	PACKAGE A
	WATER VALVE							TRANSFORMER SITE				25.40	ROAD LEVEL	(B)	PACKAGE B
														(C)	PACKAGE C

LEGEND										
	WATER		DRAINAGE		RETAINING WALL & HEIGHT 26.54		POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL BAL 12.5 BAL 19 BAL 29	TOP OF KERB HEIGHT 24.99	ACCESS RESTRICTION ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION) A PACKAGE A B PACKAGE B C PACKAGE C
	WATER METER				REVERSE WALL & HEIGHT 26.54		POWER DOME UNIVERSAL PILLAR		SPOT LEVEL 26.16	
	WATER HYDRANT		EMERGENCY ACCESS WAY				STREETLIGHTS	OPTICOMM CONNECTION	PAD LEVEL 26.32	
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		TRANSFORMER SITE	SEWER/ MANHOLE S	ROAD LEVEL 25.40	

LEGEND		WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		TOP OF KERB HEIGHT		ACCESS RESTRICTION
	WM	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION		SPOT LEVEL		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	H	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		TRANSFORMER SITE		PAD LEVEL		A PACKAGE A
	V	WATER VALVE								S SEWER/ MANHOLE		ROAD LEVEL		B PACKAGE B
														C PACKAGE C

[illegible]

LEGEND															
	WATER		DRAINAGE		26.54	RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		24.99	TOP OF KERB HEIGHT		ACCESS RESTRICTION
	WATER METER		EMERGENCY ACCESS WAY		26.54	REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		BAL 12.5 BAL 19 BAL 29 OPTICOMM CONNECTION		26.16	SPOT LEVEL	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)	
	WATER HYDRANT		GARAGE LOCATION			NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE		26.32	PAD LEVEL		
	WATER VALVE							TRANSFORMER SITE				25.40	ROAD LEVEL		
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															
															

LEGEND										
	WATER		DRAINAGE		26.54 RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL BAL 12.5 BAL 19 BAL 29	TOP OF KERB HEIGHT 24.99	ACCESS RESTRICTION ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION) (A) PACKAGE A (B) PACKAGE B (C) PACKAGE C
	WATER METER		EMERGENCY ACCESS WAY		26.54 REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		SPOT LEVEL 26.16	
	WATER HYDRANT				NON-STRUCTURAL WALL		STREETLIGHTS	OPTICOMM CONNECTION	PAD LEVEL (26.32)	
	WATER VALVE		GARAGE LOCATION				TRANSFORMER SITE	SEWER/ MANHOLE ● S ●	ROAD LEVEL (25.40)	

LEGEND										
	WATER		DRAINAGE		26.54 RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL BAL 12.5 BAL 19 BAL 29	TOP OF KERB HEIGHT 24.99	ACCESS RESTRICTION ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION) (A) PACKAGE A (B) PACKAGE B (C) PACKAGE C
	WATER METER		EMERGENCY ACCESS WAY		26.54 REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		SPOT LEVEL 26.16	
	WATER HYDRANT						STREETLIGHTS	OPTICOMM CONNECTION	PAD LEVEL (26.32)	
	WATER VALVE		GARAGE LOCATION		NON-STRUCTURAL WALL		TRANSFORMER SITE	SEWER/ MANHOLE ● S ●	ROAD LEVEL (25.40)	

LEGEND										
	WATER		DRAINAGE		26.54 RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR	BUSHFIRE ATTACK LEVEL BAL 12.5 BAL 19 BAL 29	TOP OF KERB HEIGHT 24.99	ACCESS RESTRICTION ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION) (A) PACKAGE A (B) PACKAGE B (C) PACKAGE C
	WATER METER		EMERGENCY ACCESS WAY		26.54 REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR	OPTICOMM CONNECTION	SPOT LEVEL 26.16	
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS	SEWER/ MANHOLE 25.40	PAD LEVEL	
	WATER VALVE						TRANSFORMER SITE		ROAD LEVEL	


MNG

Ref: 101636lip-023f Date: 10/09/2025




NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.






MNG

Ref: 101636lip-023f Date: 10/09/2025



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




MNG

Ref: 101636lip-023f Date: 10/09/2025



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.




MNG

Ref: 101636lip-023f Date: 10/09/2025



NORTH

SCALE 1:250

Depleted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



STAGE 3

 NORTH


SCALE 1:250

Depleted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.



 MNG Ref: 101636lip-023f Date: 10/09/2025



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		
									TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		SEWER/ MANHOLE
	WATER VALVE						TRANSFORMER SITE		
									TOP OF KERB HEIGHT
									SPOT LEVEL
									PAD LEVEL
									ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND							
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS
	WATER VALVE						TRANSFORMER SITE
							BUSHFIRE ATTACK LEVEL
							BAL 12.5
							BAL 19
							BAL 29
							OPTICOMM CONNECTION
							SEWER/ MANHOLE
							TOP OF KERB HEIGHT
							SPOT LEVEL
							PAD LEVEL
							ROAD LEVEL
							ACCESS RESTRICTION
							ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
							PACKAGE A
							PACKAGE B
							PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND									
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		OPTICOMM CONNECTION
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		TRANSFORMER SITE
	WATER VALVE						BAL 12.5		TOP OF KERB HEIGHT
							BAL 19		SPOT LEVEL
							BAL 29		PAD LEVEL
							SEWER/ MANHOLE		ROAD LEVEL
									ACCESS RESTRICTION
									ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
									PACKAGE A
									PACKAGE B
									PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


parcel.



LEGEND

	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR		BUSHFIRE ATTACK LEVEL		TOP OF KERB HEIGHT		ACCESS RESTRICTION
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR		BAL 12.5		SPOT LEVEL		ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS		BAL 19		PAD LEVEL		PACKAGE A
	WATER VALVE						TRANSFORMER SITE		BAL 29		ROAD LEVEL		PACKAGE B
									OPTICOMM CONNECTION				PACKAGE C
									SEWER/ MANHOLE				

STAGE 3



SCALE 1:250

Depicted Information subject to approvals and survey.


All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND							
	WATER		DRAINAGE		RETAINING WALL & HEIGHT		POWER DOME MINI PILLAR
	WATER METER		EMERGENCY ACCESS WAY		REVERSE WALL & HEIGHT		POWER DOME UNIVERSAL PILLAR
	WATER HYDRANT		GARAGE LOCATION		NON-STRUCTURAL WALL		STREETLIGHTS
	WATER VALVE						TRANSFORMER SITE
							BUSHFIRE ATTACK LEVEL
							BAL 12.5
							BAL 19
							BAL 29
							OPTICOMM CONNECTION
							SEWER/ MANHOLE
							TOP OF KERB HEIGHT
							SPOT LEVEL
							PAD LEVEL
							ROAD LEVEL
							ACCESS RESTRICTION
							ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)
							PACKAGE A
							PACKAGE B
							PACKAGE C

STAGE 3




SCALE 1:250

Depicted Information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

parcel.



LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- SEWER/ MANHOLE
- ACCESS RESTRICTION

BUSHFIRE ATTACK LEVEL

- BAL 12.5
- BAL 19
- BAL 29

ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)

- PACKAGE A
- PACKAGE B
- PACKAGE C



POWER DOME
MINI PILLAR



POWER DOME
UNIVERSAL PILLAR



TRANSFORMER SITE



STREETLIGHTS



EMERGENCY
ACCESS WAY

26.54

RETAINING WALL
& HEIGHT

26.54

REVERSE WALL
& HEIGHT



NON-STRUCTURAL
WALL



DRAINAGE



OPTICOMM
CONNECTION

26.80

TOP OF
KERB HEIGHT

26.16

SPOT LEVEL

26.30

PAD LEVEL

25.40

ROAD LEVEL



GARAGE
LOCATION

STAGE 3


SCALE 1:250

Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.



INSPIRATION 33.80 BOULEVARD

LEGEND

WATER	BAL 12.5	POWER DOME MINI PILLAR	26.54 RETAINING WALL & HEIGHT	26.80 TOP OF KERB HEIGHT
WATER METER	BAL 19	POWER DOME UNIVERSAL PILLAR	26.54 REVERSE WALL & HEIGHT	26.16 SPOT LEVEL
WATER HYDRANT	BAL 29	TRANSFORMER SITE	NON-STRUCTURAL WALL	26.30 PAD LEVEL
WATER VALVE	ACOUSTIC ATTENUATION PACKAGE REQUIREMENT (FOR SECOND STOREY CONSTRUCTION)	STREETLIGHTS	DRAINAGE	25.40 ROAD LEVEL
SEWER/ MANHOLE	A PACKAGE A	EMERGENCY ACCESS WAY	OPTICOMM CONNECTION	GARAGE LOCATION
ACCESS RESTRICTION	B PACKAGE B			
	C PACKAGE C			

STAGE 3

SCALE 1:250

Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

MNG Ref: 101636lip-023f Date: 10/09/2025

parcel.